

IN THE CLAIMS:

Please amend the claims as follows:

1-20. (Canceled)

21. (Currently Amended) A method for delivering content playback related information between devices on a single local network, the method comprising: obtaining state information from at least two services one service; invoking an action to a device to store the state information in the device, wherein the state information is included in the action as an input argument and the state information includes information related to rendering states in which content data is rendered; and storing the state information in the device according to the action.

22. (Currently Amended) The method of claim 21, wherein the at least two services are one service is related to playback of content.

23. (Currently Amended) The method of claim 21, wherein the at least two services one service each comprises at least one each of: an AVTransport service; and a Rendering Control service.

24. (Currently Amended) The method of claim 21, wherein the stored state information includes information is used as control information for late playback of a content from a position where playback of the content is stopped.

25. (Currently Amended) The method of claim 21, wherein the device includes the at least one-service two services.

26. (Currently Amended) A system for delivering content playback related information, the system embedded in a single local network, the system comprising:
a server for storing content;
a device including at least one service; and
a control point for controlling the server and the device, wherein the control point:
obtains state information from the at least two services one-service; and
invokes an action to the server to store the state information in the server, wherein the state information is included in the action as an input argument and the state information includes information related to rendering states in which content data is rendered.

27. (Previously Presented) The system of claim 26, wherein the server stores the state information according the action.

28. (Currently Amended) The system of claim 26, wherein the at least two services one-service is are related to playback of the content.

29. (Currently Amended) The system of claim 26, wherein the at least two services each comprise one-service-comprises at least both [[one]] of:

an AVTransport service: and

a Rendering Control service.

30. (Previously Presented) The system of claim 29, wherein the server includes the AVTransport service and the device includes the Rendering Control service.

31. (Previously Presented) The system of claim 29, wherein the device includes both the AVTransport service and the Rendering Control service.

32. (Currently Amended) The system of claim 27, wherein the state information stored in the server includes information [[is]] used as control information for late playback of the content from a position where playback of the content is stopped.

33. (Previously Presented) The system of claim 27, further comprising a second control point for reading the state information stored in the server and setting the read state information to a second device.

34. (Currently Amended) A method for delivering content playback related information between devices on a single local network, the method comprising: invoking an action to a device to store state information in the device, wherein the state information is included in the action as an input argument, and the state

information is obtained from at least one service includes information related to rendering states in which content data is rendered.

35. (Currently Amended) The method of claim 34, wherein the at least two services are one service is related to playback of content.

36. (Currently Amended) The method of claim 34, wherein the at least two services each comprise one service comprises at least each [[one]] of:

an AVTransport service; and

a Rendering Control service.

37. (Currently Amended) The method of claim 34, wherein the stored state information includes information [[is]] used as control information for late playback of a content from a position where playback of the content is stopped.

38. (Currently Amended) The method of claim 34, wherein the device includes [[the]] at least one service two services.